9800060

<u> THE UNITED STAVIES OF AMIERIOA</u>

TO ALL TO WHOM THESE PRESENTS SHALL COME?

Pioneer Hi-Bred International, Inc.

Different, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED. OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING WEBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION 184 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

SOYBEAN

'92B51'

In Testimonn Aperent, I have hereunto set my hand and caused the seal of the Hunt Arciety Arotection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of May in the year of our Lord one thousand nine hundred and ninety-eight.

Allest.

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION OFFICE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a).

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse)			certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).			
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)			EXPERIMENTAL NUMBER	3. VARIETY NAME		
Pioneer Hi-Bred International, Inc.				92B51		
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)			5. TELEPHONE (include area code)		FICIAL USE ONLY	
7100 NW 62nd Ave			515-270-3582	515-270-3582 PVPO NUMBER 9.8 0.0 0.6		
P.O. Box 1000			(include area code)	FIDATE		
Johnston, Iowa 50131-1000			515-253-2288	1 / E)/98	
7. GENUS AND SPECIES NAME	8. FAMILY NAME	(Botanica	9	2.4.11	EXAMINATION FEE:	
Glycine max L. Legi				and a second second second second second	50,00	
9. CROP KIND NAME (Common name)			•	s The		
Soybean		R (2) E CERTIFICA	29/97 TION FEE:			
 IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGANI Corporation 	IZATION (corporation,)	partnership, ass	ociation, etc.) (Common name)	1 s Q	<u> 200 م 200 می</u>	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		. 1	12. DATE OF INCORPORATION	- V DATE		
lowa			May 6, 1926	5/8	36 /19	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO S	SERVE IN THIS APPL	ICATION AND	RECEIVE ALL PAPERS		(include area code)	
John Grace 7300 NW 62nd Ave.		Bromert (Co	• • •	515-270-3	3582	
P.O. Box 1004		NW 62nd Ave. (include area code)			le area code)	
Johnston, Iowa 50131-1004		on, Iowa 5	0131-1000	515-253-2	2288	
 a. ✓ Exhibit A. Origin and Breeding History of the Variety b. ✓ Exhibit B. Statement of Distinctness c. ✓ Exhibit C. Objective Description of the Variety d. ✓ Exhibit D. Additional Description of the Variety e. ✓ Exhibit E. Statement of the Basis of the Applicant's Ownership f. ✓ Voucher Sample (2,600 viable untreated seeds or, for tuber prog. g. ✓ Filing and Examination Fee (\$2450), made payable to "Treasure. 	pagated varieties ve r of the United State	s" (Mail to	PVPO)			
17. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD YES If "yes," answer items 18 and 19 below)		ONLY, AS A (If "no," go		1 83(a) of the Plant	Variety Protection Act)?	
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITE			"YES" TO ITEM 18, WHICH CLASSES O	F PRODUCTION BE	YOND BREEDER SEED?	
GENERATIONS? YES NO			FOUNDATION REGISTER	RED CERT	TFIED	
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN YES (If "yes," give names of countries and dates) U.S 1997 (November 25) HA 22 April 1	RELEASED, USED, C	OFFERED FO	R SALE, OR MARKETED IN THE U.S. OF	OTHER COUNTRI	ES?	
21. The applicant(s) declare that a viable sample of basic seed of the variety applicable, or for a tuber propagated variety a tissue culture will be depo					such requiations as may be	
The undersioned applicant(s) islare) the owner(s) of this sexually reprod Section 41, and is entitled to protection under the provisions of Section	42 of the Plant Varie	ty Protection	Act.	new, distinct, unifo	rm, and stable as required	
Applicant(s) is(are) informed that false representation herein can jeopard	lize protection and r	· · · · ·		 		
SIGNATURE OF APPLICANT (Owner(s)) SIGNATURE OF APPLICANT (Owner(s))						
Name (Please print or type) Do John Grace III					·	
SAPACITY OR TITLE DATE Soybean Research Coordinator /2	CAPACITY OR TITLE DATE			DATE		

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 92B51 (May, 1997)

Variety 92B51 evolved from a cross of Pioneer variety 9204 x 21058. 21058 was an F1 from the cross of Pioneer variety 9204 x 90682C. 90682C was an F1 from the cross of Pioneer variety 9342 x {9341/(9341/40-3-2)}.

It is an F3-derived variety which was advanced to the F3 generation by modified bulk descent. The F4 progeny row of 92B51 was grown in Chile during the winter of 1994. Subsequently, 92B51 has undergone 2 years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of *Phytophthora* resistance and resistance to labeled Roundup Brand herbicides, 92B51 was advanced to commercial status.

The breeder seed purification block of 92B51 was produced during the summer 1996 and 57 sublines were bulked for increase. 2 acres of parent seedstock (foundation seed equivalent) was grown during the summer of 1997.

Exhibit B. Statement of Distinctness

Soybean Variety 92B51

Variety 92B51 is most similar to variety 92B71. Both varieties have white flowers, tawny pubescence, yellow seeds and are resistant to labeled Roundup Brand herbicides. However, 92B51 has a black hilum whereas 92B71 has a brown hilum.

92B51 is similar to AG2301, however AG2301 has purple flowers whereas 92B51 has white flowers.

92B51 is similar to AG2401, AG2501, AG2701 and AG2702, however AG2401, AG2501, AG2701 and AG2702 have gray pubescence whereas 92B51 has tawny pubescence.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705 OBJECTIVE DESCRIPTION OF VARIETY

EXHIBIT C (Soybean)

SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		92B51
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)		FOR OFFICIAL USE ONLY
7300 N.W. 62nd Ave., P.O. Box 1004		PVPO NUMBER
Johnston, IA 50131-1004		9800060
Choose the appropriate response which characterizes the variety in the number of boxes provided, place a zero on the first box when num adequate soybean variety description. Other characters should be de	ıber is 9 or less (e.g., 0 9). Sta	rred characters 🛨 are considered fundamental to an
1. SEED SHAPE:		
2 L	W T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.1)	1 Flattened (1 DN metic b. 4 O. 1 /T metic = 4.4 O)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	•	I Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) Flattened (L/T ratio > 1.2; T/W > 1.2)
★ 2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Spe	ecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton')	2 = Shiny ('Nebsoy'; 'Ga	soy 17')
★ 4. SEED SIZE: (Mature Seed)	TOTAL DESCRIPTION OF THE PROPERTY OF THE PROPE	· · · · · · · · · · · · · · · · · · ·
1 6 Grams per 100 seeds		
★ 5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray	5 = Imperfect Black 6 = B	lack 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 1 = Low 2 = High		
★ 8. SEED PROTEIN ELECTROPHORETIC BAND:		· · · · · · · · · · · · · · · · · · ·
1 = Type A (SP1 a) 2 = Type	e B (SP1 b)	
★ 9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis')	2 = Green with bron:	ze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson';		, , , , , , , , , , , , , , , , , , ,
4 = Dark Purple extending to unifoliate leave	•	266A')
★ 10. LEAFLET SHAPE:	· · · · · · · · · · · · · · · · · · ·	
3 1 = Lanceolate 2 = Oval 3 = C	Ovate 4 = Other (Specif	(y)
FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.)		Page 1 of 4

	11. LEAFLET SIZE: 2	
*********	12. LEAF COLOR:	
	2 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
*	13. FLOWER COLOR:	
	1 1 = White 2 = Purple 3 = White with purple throat	
*	14. POD COLOR:	
	2 1 = Tan 2 = Brown 3 = Black	
\star	15. PLANT PUBESCENCE COLOR:	
	2 1 = Gray 2 = Brown (Tawny)	
	16. PLANT TYPES:	
	2 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
\star	17, PLANT HABIT:	
	The state of the s	
	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
*	18. MATURITY GROUP:	
Г		
	1 D 1 000	
L	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
L	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
*	1-000 2-00 3-0 4-1 5-11 0=11 /=1V 8=V	
*	9 = VI	
<u></u> ★	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	
*	9 = VI	
<u>*</u>	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
*	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	
*	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ** 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ** 1 Bacterial Blight (Pseudomonas glycinea) ** 0 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES:	
*	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	
<u>\</u> *	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ** 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ** 1 Bacterial Blight (Pseudomonas glycinea) ** 0 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES:	
<u></u> ★	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES:	
*	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: \[\begin{align*} \text{ 0} \\ \text{ Bacterial Pustule (Xanthomonas phaseoli var. sojensis)} \\ \text{ 1} \\ \text{ Bacterial Blight (Pseudomonas glycinea)} \\ \text{ Wildfire (Pseudomonas tabaci)} \\ \text{ FUNGAL DISEASES:} \\ \text{ 1} \\ \text{ Brown Spot (Septoria glycines)} \\ \text{ Frogeye Leaf Spot (Cercospora sojina)} \\ \end{align*}	
*	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: *** 0	
*	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL DISEASES: ** 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis) ** 1 Bacterial Blight (Pseudomonas glycinea) ** 0 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: ** 1 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) ** 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (Specify) 0 Target Spot (Corynespora cassiicola) 0 Downy Mildew (Peronospora trifoliorum var. manshurica)	

19. DISEASES REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)								
FUNGAL DISEASES: (Continued)								
*	1	Pod and Stem Blight	(Diaporthe phaseolorum var; sojae)					
	0	Purple Seed Stain (Cercospora kikuchii)					
	1	Rhizoctonia Root Rot	(Rhizoctonia solani)					
		Phytophthora Rot (F	Phytophthora megasperma var. sojae)					
*	2	Race 1 0 Race	e 2 0 Race 3 0 Race 4	2 Race 5 0 Race 6	Race 7			
	0	Race 8 0 Race	e 9 Other (Specify)					
	VII	RAL DISEASES:						
		Bud Blight (Tobacco I	Ringspot Virus)					
		Yellow Mosaic (Bean	Yellow Mosaic Virus)					
*	1	Cowpea Mosaic (Cow	pea Chlorotic Virus)					
		Pod Mottle (Bean Pod	Mottle Virus)					
*		Seed Mottle (Soybean	Mosaic Virus)		•			
	NE	MATODE DISEASES:	t. (Hatawa dawa sukusin sa)					
		Soybean Cyst Nemato						
*		Race 1 Race	2 1 Race 3 0 Race 4	Other (Specify)				
		Lance Nematode (Hop	lolaimus Colombus)					
*		Southern Root Knot No	ematode (Meloidogyne incognita)					
*	0	Northern Root Knot No	ematode <i>(Meloidogyne Hapla)</i>					
,	0	Peanut Root Knot Nen	natode (Meloidogyne arenaria)					
	0	Reniform Nematode (Rotylenchulus reniformis)					
		OTHER DISEASE NOT	ON FORM (Specify)					
20 . l	PHYSI	OLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = 5	Susceptible, 2 = Resistant)				
*	0	Iron Chlorosis on Calca	areois Soil					
		Other (Specify)						
21. [NSEC	T REACTION: (ENTE	ER 0 = Not tested, 1 = Susceptible,	2 = Resistant)				
		Mexican Bean Beetle (-		e de la companya de l			
	0	Potato Leaf Hopper <i>(En</i>	mnoasca fahae)		•			
		Other (Specify)	npouoou rubuoj					
			(NOOT OL OOF!) BESTIM!	LAT OLIDARITHE				
			MOST CLOSELY RESEMBLES TI		MARKE OF MARKET			
		RACTER	NAME OF VARIETY 92B52	CHARACTER	NAME OF VARIETY			
	Plant S			Seed Coat Luster	9301			
	Leaf S		92B52	Seed Size	92B71			
	Leaf Color 92B71 Seed shape 92B71							
	Leaf Si	ız e	92B71	Seedling Pigmentation	92B71			

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LODG	PLANT LODGING		LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.	
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD	
Submitted 92B51	127	1.5	78			39	21	16	3	
Name of Similar Variety 92B71	128	1.5	75			39	20	15	3	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 92B51

In Exhibit C we have identified variety 92B51 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 92B51 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 92B51 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Table 1. Isozyme information for 92B51

AC02 AC03 AC04 ACP DIA **ENP** IDH1 IDH2 MDH MPI PGM PHI92B51 2 1 1 A В A 1 1 \mathbf{B} A 1 1

92B51 is a mid group II variety. If group II maturities are divided in tenths, the relative maturity for 92B51 is 2.5.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	i i	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.			
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to de certificate is to be issued (7 U.S.C. 2	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).			
1. Name Of Applicant(s)	2. Temporary Designation Or Experimental Number	3. Variety Name			
Pioneer Hi-Bred International, Inc.		92B51			
4. Address (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)	5. Telephone (include area code)	6. Fax (include area code)			
7100 NW 62nd Ave	515-270-3582	515-253-2288			
P.O. Box 1000	7. PVPO Number				
Johnston, Iowa 50131-1000	98	300060			
8. Does the applicant own all rights to the variety? Mark an "X" in appropriate	block. If no, Please explain.	✓ YES NO			
Is the applicant (individual or company) a U.S. national or U.S. based comp If no, give name of country	any?	✓ YES □ NO			
10. Is the applicant the original owner? ✓ YES NO I	f no, please answer the following:				
a. If original rights to variety were owned by individual(s		national(s)?			
b. If original rights to variety were owned by a company, YES NO If no, give name of countr		company?			
11. Additional explanation on ownership (If needed, use reverse for extra s	pace):				
PLEASE NOTE:					
Plant variable protection can be offerded only to summer (not licenses) who we					

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

- 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.